


HIGH CONDUCTIVITY TUBULAR LUGS

WITH INSPECTION WINDOW FOR SOLDERLESS CRIMPING TO
COPPER & XLPE CABLES




Material : ETP Copper
Finish : Tin Plated

CABLE SIZE MM ²	STUD HOLE E	DIMENSIONS MM							PRODUCT CODE	CANDOUR ITEM CODE
		A	C	D	B	H	G	J		
1.5	4.2	1.8	3.7	8	6	5	4	17	CI-HCT - 1.5 / 4	20200000
	5.2	1.8	3.7	8	6	5	4	17	CI-HCT - 1.5 / 5	20200001
	6.5	1.8	3.7	10	6	6	4	18	CI-HCT - 1.5 / 6	20200002
2.5	4.2	2.4	4.0	8	8	5	4	19	CI-HCT - 2.5 / 4	20200003
	5.2	2.4	4.0	8	8	5	4	19	CI-HCT - 2.5 / 5	20200004
	6.5	2.4	4.0	10	8	6	5	21	CI-HCT - 2.5 / 6	20200005
	8.4	2.4	4.0	12	8	9	6	26	CI-HCT - 2.5 / 8	20200006
4	4.2	3.1	4.8	10	8	6	5	21	CI-HCT - 4 / 4	20200007
	5.2	3.1	4.8	10	8	6	5	21	CI-HCT - 4 / 5	20200008
	6.5	3.1	4.8	10	8	6	5	21	CI-HCT - 4 / 6	20200009
	8.4	3.1	4.8	12	8	9	6	24	CI-HCT - 4 / 8	20200010
6	5.2	3.8	5.5	10	10	6	6	23	CI-HCT - 6 / 5	20200011
	6.5	3.8	5.5	10	10	6	5	24	CI-HCT - 6 / 6	20200012
	8.4	3.8	5.5	12	10	9	6	27	CI-HCT - 6 / 8	20200013
10	6.5	4.5	6.2	11	10	7	6	26	CI-HCT - 10 / 6	20200014
	8.4	4.5	6.2	12	10	9	6	27.5	CI-HCT - 10 / 8	20200015
	10.5	4.5	6.8	15	11	11	8	32	CI-HCT - 10 / 10	20200016
16	6.5	5.4	7.1	12	12	7	7	30	CI-HCT - 16 / 6	20200017
	8.4	5.4	7.1	12	12	7	7	30	CI-HCT - 16 / 8	20200018
	10.5	5.4	7.6	15	12	12	8	35	CI-HCT - 16 / 10	20200019
	12.5	5.4	7.6	15	12	13	11	39	CI-HCT - 16 / 12	20200020
25	6.5	6.8	8.8	13	12	7	7	30	CI-HCT - 25 / 6	20200021
	8.4	6.8	8.8	13	12	7	7	30	CI-HCT - 25 / 8	20200022
	10.5	6.8	8.8	15	13	11	10	36.5	CI-HCT - 25 / 10	20200023



HIGH CONDUCTIVITY LUGS

WITH INSPECTION WINDOW




Material : ETP Copper
Finish : Tin Plated

CABLE SIZE MM2	STUD HOLE E	DIMENSIONS MM							PRODUCT CODE	CANDOUR ITEM CODE
		A	C	D	B	H	G	J		
35	6.5	8.2	10.6	16	14	9	9	36	CI-HCT - 35 / 6	20200024
	8.4	8.2	10.6	16	14	9	9	36	CI-HCT - 35 / 8	20200025
	10.5	8.2	10.6	16	14	9	9	37	CI-HCT - 35 / 10	20200026
	13	8.2	10.6	18	13.5	12	10	41	CI-HCT - 35 / 12	20200027
50	8.4	9.5	12.4	18	16	10	10	42	CI-HCT - 50 / 8	20200028
	10.5	9.5	12.4	18	16	10	10	42	CI-HCT - 50 / 10	20200029
	13	9.5	12.4	20	17	12	10	45	CI-HCT - 50 / 12	20200030
70	8.4	11.3	14.6	21	18.5	11	11	47	CI-HCT - 70 / 8	20200031
	10.5	11.3	14.6	21	18.5	11	11	47	CI-HCT - 70 / 10	20200032
	13.0	11.3	14.6	21	18.5	11	11	47	CI-HCT - 70 / 12	20200033
	14.5	11.3	14.6	22	18.5	15	14	55	CI-HCT - 70 / 14	20200034
95	8.4	13.5	17.4	25	21	13	12	53	CI-HCT - 95 / 8	20200035
	10.5	13.5	17.4	25	21	13	12	53	CI-HCT - 95 / 10	20200036
	13.0	13.5	17.4	25	21	13	12	53	CI-HCT - 95 / 12	20200037
	14.5	13.5	17.4	25	22	15	14	55	CI-HCT - 95 / 14	20200038
	17	13.5	17.4	25	22	16	14	58	CI-HCT - 95 / 16	20200039
120	10.5	15	19.4	28	23	14	13	60	CI-HCT-120/10	20200040
	13.0	15	19.4	28	23	14	13	60	CI-HCT-120/12	20200041
	14.5	15	19.4	28	23	14	13	60	CI-HCT-120/14	20200042
	17.0	15	19.4	28	23	16	16	64	CI-HCT-120/16	20200043
150	10.5	16.5	21.2	30	27	16	16	70	CI-HCT-150/10	20200044
	13.0	16.5	21.2	30	27	16	16	70	CI-HCT-150/12	20200045
	14.5	16.5	21.2	30	27	16	16	70	CI-HCT-150/14	20200046
	17.0	16.5	21.2	30	27	16	16	70	CI-HCT-150/16	20200047
	21	16.5	21.2	30	27	16	19	73	CI-HCT-150/20	20200048



HIGH CONDUCTIVITY LUGS

WITH INSPECTION WINDOW




Material : ETP Copper
Finish : Tin Plated

CABLE SIZE MM ²	STUD HOLE E	DIMENSIONS MM							PRODUCT CODE	ECC ITEM CODE
		A	C	D	B	H	G	J		
185	10.5	18.5	23.5	34	32	19	17	80	CI-HCT-185/10	20200049
	13.0	18.5	23.5	34	32	19	17	80	CI-HCT-185/12	20200050
	14.5	18.5	23.5	34	32	19	17	80	CI-HCT-185/14	20200051
	17.0	18.5	23.5	34	32	19	17	80	CI-HCT-185/16	20200052
	21.0	18.5	23.5	34	32	19	17	80	CI-HCT-185/20	20200053
240	10.5	21.0	26.5	38	37	20	20	94	CI-HCT-240/10	20200054
	13	21.0	26.5	38	37	20	20	94	CI-HCT-240/12	20200055
	14.5	21.0	26.5	38	37	20	20	94	CI-HCT-240/14	20200056
	17.0	21.0	26.5	38	37	20	20	94	CI-HCT-240/16	20200057
	21.0	21.0	26.5	38	37	20	20	94	CI-HCT-240/20	20200058
	BL	21.0	26.5	38	37	40		94	CI-HCT-240/BL	20200059
300	10.5	23.5	30.0	43	42	22	22	101	CI-HCT-300/10	20200060
	13	23.5	30.0	43	42	22	22	101	CI-HCT-300/12	20200061
	14.5	23.5	30.0	43	42	22	22	101	CI-HCT-300/14	20200062
	17.0	23.5	30.0	43	42	22	22	101	CI-HCT-300/16	20200063
	21.0	23.5	30.0	43	42	22	22	101	CI-HCT-300/20	20200064
400	10.5	28.5	36.5	52.5	44	26	26	114	CI-HCT-400/10	20200066
	13.0	28.5	36.5	52.5	44	26	26	114	CI-HCT-400/12	20200067
	14.5	28.5	36.5	52.5	44	26	26	114	CI-HCT-400/14	20200068
	17.0	28.5	36.5	52.5	44	26	26	114	CI-HCT-400/16	20200069
	21.0	28.5	36.5	52.5	44	26	26	114	CI-HCT-400/20	20200070



HIGH CONDUCTIVITY LUGS

WITH INSPECTION WINDOW



Material : ETP Copper
Finish : Tin Plated

CABLE SIZE MM2	STUD HOLE E	DIMENSIONS MM							PRODUCT CODE	CANDOUR ITEM CODE
		A	C	D	B	H	G	J		
500	17.0	30.0	39.0	56	48	28	28	129	CI-HCT-500/16	20200072
	21.0	30.0	39.0	56	48	28	28	129	CI-HCT-500/20	20200073
	BL	30.0	39.0	56	48	56		129	CI-HCT-500/BL	20200074
630	17.0	35.0	45.0	63.8	58	33	33	148	CI-HCT-630/16	20200075
	21.0	35.0	45.0	63.8	58	33	33	148	CI-HCT-630/20	20200076
	BL	35.0	45.0	63.8	58	66		148	CI-HCT-630/BL	20200077
800	BL	39.0	50.6	72	78	65.5		170	CI-HCT-800/BL	20200078
1000	BL	43.0	56.2	79	90	85		200	CI-HCT-1000/BL	20200079

